

MATID	Plant Height	Lodging	Moisture	Yield	Average
22RC62	24	2	14.26	53.2	
22RC62	24	1	13.53	63.9	
22RC62	23	2	14.26	52.2	56.4
22RD00	28	1	14.06	56.6	
22RD00	21	1	13.91	53.9	
22RD00	25	2	14.22	52.7	54.4
23RA22	29	2	14.1	60.7	
23RA22	25	2	13.59	61.5	
23RA22	29	1	14.38	55.0	59.0
24RB00	28	3	13.8	65.7	
24RB00	27	3	13.44	72.4	
24RB00	27	3	13.83	71.0	69.7
25RD00	32	2	13.78	73.7	
25RD00	30	3	14.03	76.6	
25RD00	28	2	13.57	71.7	74.0
25RC28	27	3	14	64.0	
25RC28	28	3	13.94	62.0	
25RC28	29	3	13.79	68.9	64.9
27RD00	31	3	14.3	62.5	
27RD00	27	3	11.86	72.2	
27RD00	29	3	14.41	67.6	67.4
29RB22	35	2	13.92	69.1	
29RB22	29	3	13.52	65.2	
29RB22	34	2	14.29	71.1	68.5
29RD22	29	3	13.55	70.8	
29RD22	35	3	13.31	84.5	
29RD22	35	2	13.72	77.9	77.7
30RD02	32	2	14.11	78.8	
30RD02	34	2	14.13	90.8	
30RD02	33	2	13.99	73.5	81.1
3923-4	33	3	13.78	98.0	
3923-4	29	2	13.1	95.7	
3923-4	35	2	13.89	74.6	89.4
33RD02	33	2	14.14	69.0	
33RD02	36	3	13.29	79.8	
33RD02	38	3	13.15	79.1	76.0
35RA02	42	4	13.1	88.6	
35RA02	40	3	13.65	76.5	
35RA02	39	3	13.74	80.0	81.7
37RC82	38	3	13.27	81.4	
37RC82	37	3	13.58	75.4	
37RC82	36	3	13.15	73.6	76.8
40RC32	41	4	13.29	74.5	
40RC32	40	4	13.03	84.4	
40RC32	40	3	13.41	82.0	80.3
40RD02	44	5	13.66	88.7	
40RD02	40	4	13.1	78.9	
40RD02	44	5	13.26	84.1	83.9
42RD02	39	2	13.13	76.3	
42RD02	39	2	13.04	75.4	
42RD02	38	2	13.05	79.5	77.1
33RD02_2	38	3	13.66	76.3	
33RD02_2	37	3	13.12	74.2	
33RD02_2	33	3	13.41	77.1	75.9